

Safety data sheet

Page: 1/9

PT BASF Indonesia Safety data sheet

Date / Revised: 07.12.2015

Product: **Acronal® 7578**

Version: 2.0

(30665021/SDS_GEN_ID/EN)

Date of print 15.08.2016

1. Substance/preparation and manufacturer/supplier identification

Acronal® 7578

Use: Raw material, for industrial use only

Manufacturer/supplier:

PT BASF Indonesia

DBS Bank Tower, 27th Floor, Ciputra World 1 Jakarta, Jl. Prof. Dr. Satrio Kav 3 - 5

Jakarta 12940, INDONESIA

Telephone: +62 21 2988 6000

Telefax number: +62 21 2988 5930

Emergency information:

+62 21 5437 1979

International emergency number:

Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

| Skin sensitization: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word:

Warning

Hazard Statement:

May cause an allergic skin reaction.

Precautionary Statements (Prevention):

Wear protective gloves. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Aqueous dispersion of a polymer based on: acrylic ester, styrene

Hazardous ingredients

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): <= 40 PPM

CAS Number: 55965-84-9

Acute Tox.: Cat. 3 (oral)

Acute Tox.: Cat. 2 (Inhalation - mist)

Acute Tox.: Cat. 2 (dermal)

Skin Corr./Irrit.: Cat. 1B

Eye Dam./Irrit.: Cat. 1

Skin Sens.: Cat. 1A

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

M-factor acute: 10

M-factor chronic: 1

1,2-benzisothiazol-3(2H)-one

Content (W/W): <= 95 PPM

CAS Number: 2634-33-5

Acute Tox.: Cat. 4 (oral)

Skin Corr./Irrit.: Cat. 2

Eye Dam./Irrit.: Cat. 1

Skin Sens.: Cat. 1

Aquatic Acute: Cat. 1

M-factor acute: 10

2-methyl-2H-isothiazol-3-one

PT BASF Indonesia Safety data sheet
Date / Revised: 07.12.2015
Product: **Acronal® 7578**

Version: 2.0

(30665021/SDS_GEN_ID/EN)

Date of print 15.08.2016

Content (W/W): <= 95 PPM
CAS Number: 2682-20-4

Acute Tox.: Cat. 2 (Inhalation - dust)
Acute Tox.: Cat. 3 (oral)
Acute Tox.: Cat. 2 (dermal)
Skin Corr./Irrit.: Cat. 1B
Eye Dam./Irrit.: Cat. 1
Skin Sens.: Cat. 1A
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention.

Note to physician:

Symptoms: No significant symptoms are expected due to the non-classification of the product.

Hazards: No hazards anticipated.

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Specific hazards:

No particular hazards known.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions:
Do not release untreated into natural waters.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.
For large amounts: Pump off product.
For residues: Rinse away with water.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice. After long storage, slight quantities of carbon monoxide may be formed. To our best knowledge, the occupational exposure limit (OEL) is not exceeded during use. Entering of tanks must only be performed after intensive cleaning and when it is ensured that residual vapours have been removed. Consideration of national laws and international standards for confined space entry should be taken in to account. In case of doubt, the concentration of Carbon monoxide must be determined.

Storage

Further information on storage conditions: Store protected against freezing. Avoid direct sunlight.

8. Exposure controls and personal protection

Components with occupational exposure limits

The release and quantity of the stated substance is dependent on the processing conditions.

ammonia, 7664-41-7;

STEL value 35 ppm (ACGIHTLV)
TWA value 25 ppm (ACGIHTLV)
TWA value 17 mg/m³ ; 25 ppm (OEL (ID))
STEL value 24 mg/m³ ; 35 ppm (OEL (ID))

Personal protective equipment

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

PT BASF Indonesia Safety data sheet
 Date / Revised: 07.12.2015
 Product: **Acronal® 7578**

Version: 2.0

(30665021/SDS_GEN_ID/EN)

Date of print 15.08.2016

General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

9. Physical and Chemical Properties

Form: liquid, dispersion
 Colour: white
 Odour: faint odour
 Odour threshold: No data available.

pH value: 7.5 - 8.5 (DIN ISO 976)
 (25 °C)

Information on: water

Melting point: 0 °C

Information on: water

Boiling point: 100 °C

Flash point:

not applicable

Evaporation rate:

No data available.

Flammability (solid/gas): not flammable

Lower explosion limit:

not applicable

Upper explosion limit:

not applicable

Thermal decomposition: No decomposition if used correctly.

Self ignition: not self-igniting

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Information on: water

Vapour pressure: 23.4 hPa
 (20 °C)
 Literature data.

Density: approx. 1.04 g/cm³ (ISO 2811-1)
 (20 °C)

Relative density:

No data available.

Relative vapour density (air):

not applicable

Solubility in water: partly soluble
 (15 °C)

PT BASF Indonesia Safety data sheet
Date / Revised: 07.12.2015
Product: **Acronal® 7578**

Version: 2.0

(30665021/SDS_GEN_ID/EN)

Date of print 15.08.2016

Miscibility with water: miscible
Partitioning coefficient n-octanol/water (log Pow): not applicable
Viscosity, dynamic: 200 - 900 mPa.s (23 °C) (DIN EN ISO 2555 (RVT))
Solids content: 49 - 51 % (DIN EN ISO 3251)
Other Information:
Range of particle size: < 0,1 µm - 10 µm

10. Stability and Reactivity

Conditions to avoid:
Avoid extreme temperatures.

Thermal decomposition: No decomposition if used correctly.

Substances to avoid:
No substances known that should be avoided.

Hazardous reactions:
No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
LD50 rat (oral): > 2,000 - 10,000 mg/kg

Irritation

Assessment of irritating effects:
If the product adheres to skin, irritation may occur when it dries.

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
May cause sensitization by skin contact.

Germ cell mutagenicity

Assessment of mutagenicity:
The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:
The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
Not expected to cause reproductive toxicity (based on composition).

Developmental toxicity

Assessment of teratogenicity:
The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

Specific target organ toxicity (single exposure):

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

The product contains a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one (3:1) (CAS-No.:55965-84-9). May produce an allergic reaction.

12. Ecological Information

Ecotoxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Brachydanio rerio* (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) > 100 mg/l, *Scenedesmus subspicatus* (OECD Guideline 201)

Nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 100 mg/l, activated sludge, domestic (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C)

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Mobility

Assessment transport between environmental compartments:

No data available.

Persistence and degradability

Elimination information:

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Bioaccumulation potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Other adverse effects

Adsorbable organically-bound halogen (AOX):

No data available.

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Ecological data are determined by analogy.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.
A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.
Observe national and local legal requirements.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Recommended use: Raw material, for industrial use only

Any other intended applications should be discussed with the manufacturer.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.